


=> => d que stat 158

L1 1 SEA FILE=REGISTRY ABB=ON PLU=ON 151600-50-9/RN
 L2 9 SEA FILE=HCAPLUS ABB=ON PLU=ON L1
 L3 SCR 1918 OR 2043 OR 1840 OR 1949 OR 2010
 L4 STR



NODE ATTRIBUTES:


CONNECT IS X2 RC AT 6
 CONNECT IS E1 RC AT 9
 CONNECT IS E1 RC AT 10
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 10

STEREO ATTRIBUTES: NONE

L5 (12118)SEA FILE=REGISTRY SSS FUL L4 NOT L3
 L6 STR



VAR G1=O/N/P/13

NODE ATTRIBUTES:


CONNECT IS X2 RC AT 6
 CONNECT IS E1 RC AT 9
 CONNECT IS E1 RC AT 10
 CONNECT IS X2 RC AT 13
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 13

STEREO ATTRIBUTES: NONE

L7 (2503) SEA FILE=REGISTRY SUB=L5 SSS FUL L6
 L8 STR



NODE ATTRIBUTES:

CONNECT IS E1 RC AT 5
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 5

STEREO ATTRIBUTES: NONE

L9 SCR 1918 OR 2043 OR 1839 OR 1944 OR 2005
 L10 (6815) SEA FILE=REGISTRY SSS FUL L8 NOT L9
 L11 (1507) SEA FILE=HCAPLUS ABB=ON PLU=ON L7/P
 L12 (31232) SEA FILE=HCAPLUS ABB=ON PLU=ON L10/RACT
 L13 (266) SEA FILE=HCAPLUS ABB=ON PLU=ON L11 AND L12
 L14 QUE ABB=ON PLU=ON "ASYMMETRIC SYNTHESIS AND INDUCTIO
 N"+PFT,OLD,NT/CT
 L15 QUE ABB=ON PLU=ON "MICHAEL REACTION"+PFT,OLD,NT/CT
 L16 QUE ABB=ON PLU=ON "MICHAEL REACTION CATALYSTS"+PFT,O
 LD,NT/CT
 L17 (30) SEA FILE=HCAPLUS ABB=ON PLU=ON L14 AND L13
 L18 (21) SEA FILE=HCAPLUS ABB=ON PLU=ON L17 AND (L15 OR L16)
 L19 (31232) SEA FILE=HCAPLUS ABB=ON PLU=ON L10/RACT
 L20 (1337) SEA FILE=HCAPLUS ABB=ON PLU=ON L19 AND L14
 L21 (176) SEA FILE=HCAPLUS ABB=ON PLU=ON L20 AND (L15 OR L16)
 L22 (92) SEA FILE=HCAPLUS ABB=ON PLU=ON L21 AND L16
 L23 (744935) SEA FILE=REGISTRY ABB=ON PLU=ON ((FE OR CO OR NI OR
 RU OR RH OR PD OR OS OR IR OR PT)(L)N)/ELS
 L24 (316118) SEA FILE=REGISTRY ABB=ON PLU=ON L23 AND 1-2/N
 L25 (262888) SEA FILE=REGISTRY ABB=ON PLU=ON L24 AND 1/M
 L26 (22790) SEA FILE=REGISTRY ABB=ON PLU=ON L25 AND 1/RU
 L27 (80253) SEA FILE=REGISTRY ABB=ON PLU=ON L25 AND (1/OS OR
 1/IR OR 1/PT OR 1/PD)
 L28 (159878) SEA FILE=REGISTRY ABB=ON PLU=ON L25 NOT (L26 OR L27)
 L29 (76518) SEA FILE=REGISTRY ABB=ON PLU=ON L28 AND 1/FE
 L30 (83360) SEA FILE=REGISTRY ABB=ON PLU=ON L25 NOT (L26 OR L27
 OR L29)
 L31 QUE ABB=ON PLU=ON L26
 L32 QUE ABB=ON PLU=ON L27
 L33 QUE ABB=ON PLU=ON L29
 L34 QUE ABB=ON PLU=ON L30
 L35 QUE ABB=ON PLU=ON L31 OR L32 OR L33 OR L34
 L36 (10) SEA FILE=HCAPLUS ABB=ON PLU=ON L22 AND L35
 L37 (9613) SEA FILE=HCAPLUS ABB=ON PLU=ON L5
 L38 (50879) SEA FILE=HCAPLUS ABB=ON PLU=ON L10
 L39 (31) SEA FILE=HCAPLUS ABB=ON PLU=ON L37 AND L38 AND L35
 L40 (7) SEA FILE=HCAPLUS ABB=ON PLU=ON L39 AND L14
 L41 (1971) SEA FILE=HCAPLUS ABB=ON PLU=ON L7
 L42 (315) SEA FILE=HCAPLUS ABB=ON PLU=ON L41 AND L10
 L43 (14) SEA FILE=HCAPLUS ABB=ON PLU=ON L42 AND L35

L44 (39)SEA FILE=HCAPLUS ABB=ON PLU=ON L18 OR L36 OR L40 OR
 L43
 L45 (62)SEA FILE=HCAPLUS ABB=ON PLU=ON L44 OR L17 OR L39
 L46 (48)SEA FILE=HCAPLUS ABB=ON PLU=ON L45 AND (L14 OR L15
 OR L16)
 L47 QUE ABB=ON PLU=ON PY<2005 OR PRY<2005 OR AY<2005 OR
 MY<2005 OR REVIEW/DT
 L48 (34)SEA FILE=HCAPLUS ABB=ON PLU=ON L46 AND L47
 L49 (15)SEA FILE=HCAPLUS ABB=ON PLU=ON L48 AND L14 AND L15
 AND L16
 L50 34 SEA FILE=HCAPLUS ABB=ON PLU=ON L48 OR L49
 L51 3 SEA FILE=HCAPLUS ABB=ON PLU=ON L2 AND L50
 L52 6 SEA FILE=HCAPLUS ABB=ON PLU=ON L2 NOT L51
 L53 STR

5

O

||

A->C->C=>C
 1 2 3 4

NODE ATTRIBUTES:

CONNECT IS E1 RC AT 5
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 5

STEREO ATTRIBUTES: NONE

L54 SCR 1918 OR 2043 OR 1839 OR 1944 OR 2005
 L55 6815 SEA FILE=REGISTRY SSS FUL L53 NOT L54
 L56 50897 SEA FILE=HCAPLUS ABB=ON PLU=ON L55
 L57 6 SEA FILE=HCAPLUS ABB=ON PLU=ON L52 AND L56
 L58 6 SEA FILE=HCAPLUS ABB=ON PLU=ON L57 AND L47

=> d 158 1-6 ibib abs hitstr hitind


L58 ANSWER 1 OF 6 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2003:4470 HCAPLUS
 DOCUMENT NUMBER: 138:337475
 TITLE: Microwave assisted enantioselective Michael
 addition reaction using BINOL-Al-Li catalyst
 AUTHOR(S): Narasimhan, S.; Velmathi, S.
 CORPORATE SOURCE: Centre for Natural Products, SPIC Science
 Foundation, Chennai, 600 032, India
 SOURCE: Synthetic Communications (2002),
 32(24), 3791-3795
 CODEN: SYNCV; ISSN: 0039-7911
 PUBLISHER: Marcel Dekker, Inc.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 138:337475
 AB Enantioselective (S)-BINOL-Al-Li catalyzed Michael reaction of
 malonates and thiols with cyclic enones are achieved with high
 enantioselectivity in a remarkably lesser reaction time using
 microwaves.
 IT 930-30-3, 2-Cyclopentenone 930-68-7,

2-Cyclohexenone

RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of saturated cycloketones by microwave assisted
 enantioselective Michael addition reaction of malonates and thiols
 with cyclic enones using BINOL-Al-Li catalyst)


RN 930-30-3 HCPLUS

CN 2-Cyclopenten-1-one (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)



RN 930-68-7 HCPLUS

CN 2-Cyclohexen-1-one (6CI, 8CI, 9CI) (CA INDEX NAME)




IT 151600-50-9P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of saturated cycloketones by microwave assisted
 enantioselective Michael addition reaction of malonates and thiols
 with cyclic enones using BINOL-Al-Li catalyst)

RN 151600-50-9 HCPLUS

CN Propanedioic acid, [(1S)-3-oxocyclohexyl]-, diethyl ester (9CI)
 (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



CC 21-2 (General Organic Chemistry)

IT 105-53-3, Diethyl malonate 106-45-6, 4-Methylthiophenol

108-98-5, Thiophenol, reactions 930-30-3,

2-Cyclopentenone 930-68-7, 2-Cyclohexenone 13195-64-7,

Diisopropyl malonate 15014-25-2, Dibenzyl malonate

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of saturated cycloketones by microwave assisted
 enantioselective Michael addition reaction of malonates and thiols
 with cyclic enones using BINOL-Al-Li catalyst)


IT 151600-50-9P 154194-47-5P 154194-49-7P 193530-87-9P
 334699-04-6P 334699-05-7P 518028-03-0P 518028-04-1P

RL: SPN (Synthetic preparation); PREP (Preparation)


(preparation of saturated cycloketones by microwave assisted
 enantioselective Michael addition reaction of malonates and thiols
 with cyclic enones using BINOL-Al-Li catalyst)

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE
FOR THIS RECORD. ALL CITATIONS AVAILABLE
IN THE RE FORMAT

L58 ANSWER 2 OF 6 HCPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2001:872181 HCPLUS
 DOCUMENT NUMBER: 136:262933
 TITLE: Aluminium-SALEN complex: a new catalyst for
the enantioselective Michael reaction
 AUTHOR(S): Jha, S. C.; Joshi, N. N.
 CORPORATE SOURCE: Division of Organic Synthesis, National
Chemical Laboratory, Pune, 411008, India
 SOURCE: Tetrahedron: Asymmetry (2001),
12(17), 2463-2466
CODEN: TASYE3; ISSN: 0957-4166
 PUBLISHER: Elsevier Science Ltd.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 136:262933
 AB A new heterobimetallic complex prepared from a chiral SALEN ligand
and Red-Al was found to catalyze the Michael reaction between
various dialkyl malonates and cycloalkenones to give products in
high yields with e.e.s of up to 58%.
 IT 930-30-3, 2-Cyclopentenone 930-68-7,
2-Cyclohexenone
RL: RCT (Reactant); RACT (Reactant or reagent)
(enantioselective Michael addition of malonates to cycloalkenones
using sodium-aluminum-SALEN complex catalyst)
 RN 930-30-3 HCPLUS
 CN 2-Cyclopenten-1-one (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 930-68-7 HCPLUS
 CN 2-Cyclohexen-1-one (6CI, 8CI, 9CI) (CA INDEX NAME)



IT 151600-50-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation by enantioselective Michael addition of malonates to
cycloalkenones using sodium-aluminum-SALEN complex catalyst)
 RN 151600-50-9 HCPLUS
 CN Propanedioic acid, [(1S)-3-oxocyclohexyl]-, diethyl ester (9CI)
(CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




CC 24-5 (Alicyclic Compounds)
 Section cross-reference(s): 67
 IT 105-53-3, Diethyl malonate 108-59-8, Dimethyl malonate
 541-16-2, Di(tert-butyl) malonate 609-08-5, Diethyl
 methylmalonate 930-30-3, 2-Cyclopentenone
 930-68-7, 2-Cyclohexenone 13195-64-7, Di(isopropyl)
 malonate 15014-25-2, Dibenzyl malonate
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (enantioselective Michael addition of malonates to cycloalkenones
 using sodium-aluminum-SALEN complex catalyst)
 IT 151600-50-9P 154194-47-5P 154194-50-0P 160115-23-1P
 193530-87-9P 334699-04-6P 405219-89-8P 405219-90-1P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation by enantioselective Michael addition of malonates to
 cycloalkenones using sodium-aluminum-SALEN complex catalyst)
 REFERENCE COUNT: 18 THERE ARE 18 CITED REFERENCES AVAILABLE
 FOR THIS RECORD. ALL CITATIONS AVAILABLE
 IN THE RE FORMAT

L58 ANSWER 3 OF 6 HCPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2001:85161 HCPLUS
 DOCUMENT NUMBER: 134:295404
 TITLE: Novel enantiomer-switching catalysts for
 asymmetric reductions and Michael reactions
 AUTHOR(S): Narasimhan, S.; Velmathi, S.; Balakumar, R.;
 Radhakrishnan, V.
 CORPORATE SOURCE: Centre for Natural Products, SPIC Science
 Foundation, Guindy, Chennai, 600 032, India
 SOURCE: Tetrahedron Letters (2001), 42(4),
 719-721
 CODEN: TELEAY; ISSN: 0040-4039
 PUBLISHER: Elsevier Science Ltd.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 134:295404
 AB The newly developed chiral ligands (S)-2-HOC₆H₄CH₂NHCH(CHMe₂)R (R
 = CO₂Me, CH₂OH) show opposite enantioselectivity in prochiral
 ketone reduction and Michael addition reactions resulting in the production
 of both enantiomers of the products in good chemical and enantiomeric
 yield.
 IT 930-30-3, 2-Cyclopentenone 930-68-7,
 2-Cyclohexenone
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (enantiomer-switching catalysts for asym. redns. and Michael
 reactions)
 RN 930-30-3 HCPLUS
 CN 2-Cyclopenten-1-one (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 930-68-7 HCPLUS
 CN 2-Cyclohexen-1-one (6CI, 8CI, 9CI) (CA INDEX NAME)



IT 151600-50-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (enantiomer-switching catalysts for asym. redns. and Michael reactions)
 RN 151600-50-9 HCPLUS
 CN Propanedioic acid, [(1S)-3-oxocyclohexyl]-, diethyl ester (9CI)
 (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




CC 21-2 (General Organic Chemistry)
 IT 90-02-8, reactions 98-86-2, Acetophenone, reactions 105-53-3,
 Diethyl malonate 532-27-4, α -Chloroacetophenone
 614-47-1, (E)-1,3-Diphenylpropenone 930-30-3,
 2-Cyclopentenone 930-68-7, 2-Cyclohexenone 5619-05-6
 13195-64-7, Diisopropyl malonate 15014-25-2, Dibenzyl malonate
 35006-49-6
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (enantiomer-switching catalysts for asym. redns. and Michael reactions)
 IT 1445-91-6P 1517-69-7P 7472-83-5P 56751-12-3P 70111-05-6P
 151600-50-9P 154194-47-5P 154194-49-7P 164931-75-3P
 164931-78-6P 177722-18-8P 193530-87-9P 209850-79-3P
 334699-04-6P 334699-05-7P 334699-06-8P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (enantiomer-switching catalysts for asym. redns. and Michael reactions)

REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE
 FOR THIS RECORD. ALL CITATIONS AVAILABLE
 IN THE RE FORMAT

L58 ANSWER 4 OF 6 HCPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1996:127979 HCPLUS
 DOCUMENT NUMBER: 124:175462
 TITLE: Preparation of optically active

INVENTOR(S):
 PATENT ASSIGNEE(S):
 SOURCE:
 DOCUMENT TYPE:
 LANGUAGE:
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 07265709	A2	19951017	JP 1994-62727	1994 0331
JP 3439255	B2	20030825	JP 1994-62727	1994 0331
PRIORITY APPLN. INFO.: <--				
OTHER SOURCE(S): GI	CASREACT 124:175462; MARPAT 124:175462			



AB A metal complex promoting asym. Michael addition is prepared by mixing a donor compound of asym. Michael reaction with a rare earth metal alkoxide in solvent to prepare a reaction mixture containing the enolate of the Michael reaction donor and then adding an optically active binaphthol, preferably 1,1'-bi-2-naphthol. The Michael reaction donor compound is represented by formula R₁COCHR₃COR₂ (R₁ = aryloxy, MeO, Eto, Me; R₂ = aryloxy, MeO, Eto; R₃ = H, Me, Et). The preferred rare earth metal alkoxide is an alkoxide of lanthanum. Thus, a THF solution of 0.1 mmol dibenzyl methylmalonate was slowly added to a THF solution of 0.1 mmol La(OCHMe₂)₃ at 0° and stirred at 0° for 30 min to give the enolate solution, to which was slowly added a THF solution of 0.1 mmol (S)-1,1'-bi-2-naphthol at 0°, stirred at 0° for 30 min, and evaporated under reduced pressure to give the lanthanum-binaphthol complex. The evaporation of the solvent markedly improved the purity and yield of the desired product. The latter complex was redissolved in 1.0 mL THF, followed by adding 0.9 mmol dibenzyl methylmalonate and 1.0 mmol 2-cyclopenten-1-one at -20°, and the resulting mixture was stirred at -20° for 60 h to give after workup and silica gel chromatog., the Michael reaction adduct [(-)-I] of 95% optical purity in 97% yield. Similar reaction of 2-cyclohexen-1-one with dibenzyl methylmalonate gave the Michael reaction adduct (II) of 87%

IT optical purity in 83% yield.


IT 151600-50-9P

RL: SPN (Synthetic preparation); PREP (Preparation)
(Michael reaction adduct; preparation of optically active
binaphthol-lanthanum complex as catalyst for asym. Michael
addition)

RN 151600-50-9 HCPLUS

CN Propanedioic acid, [(1S)-3-oxocyclohexyl]-, diethyl ester (9CI)
(CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




IT 78-94-4, Methyl vinyl ketone, reactions 930-30-3
, 2-Cyclopenten-1-one 930-68-7, 2-Cyclohexen-1-one

RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of optically active binaphthol-lanthanum complex as
catalyst for asym. Michael addition)


RN 78-94-4 HCPLUS

CN 3-Buten-2-one (8CI, 9CI) (CA INDEX NAME)




RN 930-30-3 HCPLUS

CN 2-Cyclopenten-1-one (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)



RN 930-68-7 HCPLUS

CN 2-Cyclohexen-1-one (6CI, 8CI, 9CI) (CA INDEX NAME)



IC ICM B01J031-22

ICS C07C067-347; C07C069-716

ICA C07B053-00; C07B061-00

ICI C07M007-00

CC 24-5 (Alicyclic Compounds)


IT **151600-50-9P** 154194-46-4P 154194-47-5P 154194-48-6P
 154194-49-7P 154194-50-0P 154194-51-1P 160115-23-1P
 173837-40-6P 173837-41-7P 173837-42-8P 173837-43-9P
 173837-44-0P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (Michael reaction adduct; preparation of optically active
 binaphthol-lanthanum complex as catalyst for asym. Michael
 addition)
 IT **78-94-4**, Methyl vinyl ketone, reactions 105-53-3,
 Diethyl malonate 108-59-8, Dimethyl malonate 126-39-6,
 2-Ethyl-2-methyl-1,3-dioxolane **930-30-3**,
 2-Cyclopenten-1-one **930-68-7**, 2-Cyclohexen-1-one
 15014-25-2, Dibenzyl malonate 20194-18-7, Sodium benzyloxide
 37526-93-5, Benzyl 2-methylacetooacetate
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of optically active binaphthol-lanthanum complex as
 catalyst for asym. Michael addition)

L58 ANSWER 5 OF 6 HCPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1994:244152 HCPLUS
 DOCUMENT NUMBER: 120:244152
 TITLE: Catalytic Asymmetric Michael Reactions
 Promoted by a Lithium-Free Lanthanum-BINOL
 Complex
 AUTHOR(S): Sasai, Hiroaki; Arai, Takayoshi; Shibasaki,
 Masakatsu
 CORPORATE SOURCE: Faculty of Pharmaceutical Sciences, University
 of Tokyo, Tokyo, 113, Japan
 SOURCE: Journal of the American Chemical Society (1994), 116(4), 1571-2
 CODEN: JACSAT; ISSN: 0002-7863
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 120:244152

AB Lithium free [1,1'-binaphthalene]-2,2'-diol (BINOL)-lanthanum
 complex prepared from La(OCHMe₂)₃ and 1 mol equiv of (S)-BINOL is
 effective in catalytic asym Michael reactions. Thus, treatment of
 cyclopentenone with dibenzyl methylmalonate in THF containing ca. 10
 mol % of this catalyst at -20° for 48 h gave the
 corresponding Michael adduct of 74% ee in 86% yield. The asym.
 lanthanum ester enolate prepared from, e.g., the appropriate
 malonate or keto ester, 1 mol equiv of La(OCHMe₂)₃, and 1 mol
 equiv of (S)-BINOL is a more effective catalyst in asym. Michael
 reactions.

IT **151600-50-9**
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (asym. synthesis by Michael reaction promoted by lithium-free
 lanthanum-BINOL complex)
 RN 151600-50-9 HCPLUS
 CN Propanedioic acid, [(1S)-3-oxocyclohexyl]-, diethyl ester (9CI)
 (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



IT 78-94-4, 3-Buten-2-one, reactions 930-30-3,
2-Cyclopenten-1-one 930-68-7, 2-Cyclohexen-1-one
RL: RCT (Reactant); RACT (Reactant or reagent)
(reactant, in catalytic asym. Michael reaction promoted by
lithium-free lanthanum-BINOL complex)


RN 78-94-4 HCPLUS

CN 3-Buten-2-one (8CI, 9CI) (CA INDEX NAME)




RN 930-30-3 HCPLUS

CN 2-Cyclopenten-1-one (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)



RN 930-68-7 HCPLUS

CN 2-Cyclohexen-1-one (6CI, 8CI, 9CI) (CA INDEX NAME)




CC 24-5 (Alicyclic Compounds)
Section cross-reference(s): 23

IT 151600-50-9 154194-46-4 154194-47-5 154194-48-6
154194-49-7 154194-50-0 154194-51-1
RL: RCT (Reactant); RACT (Reactant or reagent)
(asym. synthesis by Michael reaction promoted by lithium-free
lanthanum-BINOL complex)


IT 78-94-4, 3-Buten-2-one, reactions 105-53-3, Diethyl
malonate 108-59-8, Dimethyl malonate 930-30-3,
2-Cyclopenten-1-one 930-68-7, 2-Cyclohexen-1-one
15014-25-2, Dibenzyl malonate 37526-93-5, Benzyl
2-methylacetooacetate 82794-36-3, Dibenzyl methylmalonate
RL: RCT (Reactant); RACT (Reactant or reagent)
(reactant, in catalytic asym. Michael reaction promoted by
lithium-free lanthanum-BINOL complex)

L58 ANSWER 6 OF 6 HCPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1994:8198 HCPLUS
 DOCUMENT NUMBER: 120:8198
 TITLE: Catalytic, enantioselective Michael addition
 of a malonate to prochiral
 α,β -unsaturated aldehydes and
 ketones
 AUTHOR(S): Yamaguchi, Masahiko; Shiraishi, Tai; Hirama,
 Masahiro
 CORPORATE SOURCE: Fac. Sci., Tohoku Univ., Sendai, 980, Japan
 SOURCE: Angewandte Chemie (1993), 105(8),
 1243-5 (See also Angew. Chem., Int. Ed. Engl.,
 1993, 32(8), 1176-8)
 CODEN: ANCEAD; ISSN: 0044-8249
 DOCUMENT TYPE: Journal
 LANGUAGE: German
 OTHER SOURCE(S): CASREACT 120:8198
 AB Reaction of RCOCH:CHR1 [R = Me, R1 = Me, pentyl, Ph; R = Pr, R1 =
 Me; RR1 = (CH₂)₄, (CH₂)₃; R = H, R1 = Pr, Me] with CH₂(CO₂CHMe₂)₂
 in presence of the Rb salt of proline gave RCOCH₂CHR1CH(CO₂CHMe₂)₂
 stereoselectively.
 IT 151600-50-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation by stereoselective Michael reaction)
 RN 151600-50-9 HCPLUS
 CN Propanedioic acid, [(1S)-3-oxocyclohexyl]-, diethyl ester (9CI)
 (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



IT 930-68-7, 2-Cyclohexen-1-one 1121-66-0,
 2-Cyclohepten-1-one 3102-33-8 32397-56-1
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (stereoselective Michael reaction with malonate)
 RN 930-68-7 HCPLUS
 CN 2-Cyclohexen-1-one (6CI, 8CI, 9CI) (CA INDEX NAME)




RN 1121-66-0 HCPLUS
 CN 2-Cyclohepten-1-one (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 3102-33-8 HCAPLUS
 CN 3-Penten-2-one, (3E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 32397-56-1 HCAPLUS
 CN 2-Hepten-4-one, (2E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



CC 23-17 (Aliphatic Compounds)
 IT 151600-45-2P 151600-46-3P 151600-47-4P 151600-48-5P
 151600-49-6P **151600-50-9P** 151600-51-0P 151600-52-1P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation by stereoselective Michael reaction)
 IT 123-73-9 **930-68-7**, 2-Cyclohexen-1-one **1121-66-0**
 , 2-Cyclohepten-1-one 1896-62-4 3102-33-8 6728-26-3
 18402-83-0 **32397-56-1**
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (stereoselective Michael reaction with malonate)

=> d his ful

(FILE 'HOME' ENTERED AT 08:48:41 ON 22 NOV 2006)

FILE 'REGISTRY' ENTERED AT 08:48:50 ON 22 NOV 2006
 L1 1 SEA ABB=ON PLU=ON 151600-50-9/RN

FILE 'HCAPLUS' ENTERED AT 08:49:00 ON 22 NOV 2006
 L2 9 SEA ABB=ON PLU=ON L1
 D SCAN
 D SAV
 ACT SHI806HCP/A

 L3 SCR 1918 OR 2043 OR 1840 OR 1949 OR 2010
 L4 STR
 L5 (12118)SEA SSS FUL L4 NOT L3
 L6 STR
 L7 (2503)SEA SUB=L5 SSS FUL L6
 L8 STR

L9 SCR 1918 OR 2043 OR 1839 OR 1944 OR 2005
 L10 (6815)SEA SSS FUL L8 NOT L9
 L11 (1507)SEA ABB=ON PLU=ON L7/P
 L12 (31232)SEA ABB=ON PLU=ON L10/RACT
 L13 (266)SEA ABB=ON PLU=ON L11 AND L12
 L14 QUE ABB=ON PLU=ON "ASYMMETRIC SYNTHESIS AND INDUCTION
 "+PFT,OLD,NT/CT
 L15 QUE ABB=ON PLU=ON "MICHAEL REACTION"+PFT,OLD,NT/CT
 L16 QUE ABB=ON PLU=ON "MICHAEL REACTION CATALYSTS"+PFT,OL
 D,NT/CT
 L17 (30)SEA ABB=ON PLU=ON L14 AND L13
 L18 (21)SEA ABB=ON PLU=ON L17 AND (L15 OR L16)
 L19 (31232)SEA ABB=ON PLU=ON L10/RACT
 L20 (1337)SEA ABB=ON PLU=ON L19 AND L14
 L21 (176)SEA ABB=ON PLU=ON L20 AND (L15 OR L16)
 L22 (92)SEA ABB=ON PLU=ON L21 AND L16
 L23 (744935)SEA ABB=ON PLU=ON ((FE OR CO OR NI OR RU OR RH OR PD
 OR OS OR IR OR PT)(L)N)/ELS
 L24 (316118)SEA ABB=ON PLU=ON L23 AND 1-2/N
 L25 (262888)SEA ABB=ON PLU=ON L24 AND 1/M
 L26 (22790)SEA ABB=ON PLU=ON L25 AND 1/RU
 L27 (80253)SEA ABB=ON PLU=ON L25 AND (1/OS OR 1/IR OR 1/PT OR
 1/PD)
 L28 (159878)SEA ABB=ON PLU=ON L25 NOT (L26 OR L27)
 L29 (76518)SEA ABB=ON PLU=ON L28 AND 1/FE
 L30 (83360)SEA ABB=ON PLU=ON L25 NOT (L26 OR L27 OR L29)
 L31 QUE ABB=ON PLU=ON L26
 L32 QUE ABB=ON PLU=ON L27
 L33 QUE ABB=ON PLU=ON L29
 L34 QUE ABB=ON PLU=ON L30
 L35 QUE ABB=ON PLU=ON L31 OR L32 OR L33 OR L34
 L36 (10)SEA ABB=ON PLU=ON L22 AND L35
 L37 (9613)SEA ABB=ON PLU=ON L5
 L38 (50879)SEA ABB=ON PLU=ON L10
 L39 (31)SEA ABB=ON PLU=ON L37 AND L38 AND L35
 L40 (7)SEA ABB=ON PLU=ON L39 AND L14
 L41 (1971)SEA ABB=ON PLU=ON L7
 L42 (315)SEA ABB=ON PLU=ON L41 AND L10
 L43 (14)SEA ABB=ON PLU=ON L42 AND L35
 L44 (39)SEA ABB=ON PLU=ON L18 OR L36 OR L40 OR L43
 L45 (62)SEA ABB=ON PLU=ON L44 OR L17 OR L39
 L46 (48)SEA ABB=ON PLU=ON L45 AND (L14 OR L15 OR L16)
 L47 QUE ABB=ON PLU=ON PY<2005 OR PRY<2005 OR AY<2005 OR
 MY<2005 OR REVIEW/DT
 L48 (34)SEA ABB=ON PLU=ON L46 AND L47
 L49 (15)SEA ABB=ON PLU=ON L48 AND L14 AND L15 AND L16
 L50 34 SEA ABB=ON PLU=ON L48 OR L49

 L51 3 SEA ABB=ON PLU=ON L2 AND L50
 D SCAN
 D 1-3 IBIB
 L52 6 SEA ABB=ON PLU=ON L2 NOT L51
 D SCAN
 D COST
 D L52 1-6 IBIB ABS HITSTR HITIND
 D QUE STAT L10
 D QUE L52

FILE 'REGISTRY' ENTERED AT 09:01:15 ON 22 NOV 2006
 D SAV

ACT SHI806REGB/A

L53 STR
L54 SCR 1918 OR 2043 OR 1839 OR 1944 OR 2005
L55 6815 SEA SSS FUL L53 NOT L54

D QUE STAT

FILE 'HCAPLUS' ENTERED AT 09:01:58 ON 22 NOV 2006
L56 50897 SEA ABB=ON PLU=ON L55
L57 6 SEA ABB=ON PLU=ON L52 AND L56
D QUE L35
D SCAN
D QUE L35
L58 6 SEA ABB=ON PLU=ON L57 AND L47
D SCAN
D QUE STAT L58
D L58 1-6 IBIB ABS HITSTR HITIND

=>

This Page Blank (uspto)